Employee Training for Businesses Open During Phase 1 of the Massachusetts Reopening

This presentation was created by Kristin Black, Health Director, <u>Uxbridge Board of Health</u> with the help of the <u>Academic Public</u> <u>Health Volunteers Corps</u> and made possible by funding for the COVID-19 crisis distributed through the Public Health Trust Fund.



Table of Contents

- Introduction
- Hygiene Protocols
- Social Distancing Protocols
- Cleaning and Disinfecting Recommendations
- Staffing and Operations



Provide training for employees regarding the social distancing and hygiene protocols

Key Elements of Prevention

This presentation will also cover key elements of prevention of COVID-19 found on <u>CDC's How to Protection Yourself and Others</u>

- Know how it is spread
- Wash your hands often
- Cover your mouth and noise with a cloth face cover when around others
- Cover coughs and sneezes
- Avoid close contact
- Clean and disinfect
- Monitor your health

Introduction to Training

- This presentation includes training materials for employers and employees that are subject to the <u>Mandatory Workplace Safety Standards</u> in Phase 1 of the Reopening Massachusetts plan. All reopening businesses must meet these requirements before reopening. Businesses that are designated as essential may remain open but are required to complete these steps by May 25, 2020.
- The resources in this presentation align with the core strategies that are provided on the sectorspecific checklists: social distancing; hygiene; staffing and operations; and cleaning and disinfecting.
- This presentation may be used to satisfy required training for employees on social distancing and hygiene protocols found in the <u>Mandatory Workplace Safety Standards</u>
- Businesses are also required to comply with detailed <u>sector-specific protocols, best</u> <u>practices and checklists</u>. Note that some sector-specific protocols and best practices are mandatory, while others are recommended.
- The resources in this presentation are primarily from the <u>Center for Disease Control and Prevention</u> (CDC) COVID-19 webpage, <u>Massachusetts Department of Public Health (DPH) COVID-19</u> webpage, and the <u>Reopening Massachusetts webpage</u>.

Know How COVID-19 Is Spread

There is currently no vaccine to prevent coronavirus disease 2019 (COVID-19). The best way to prevent illness is to avoid being exposed to this virus. The virus is thought to <u>spread mainly from person-to-person</u>.

- Between people who are in close contact with one another (within about 6 feet).
- Through respiratory droplets produced when an infected person coughs, sneezes or talks. These droplets can land in the mouths or noses of people who are nearby or possibly be inhaled into the lungs.
- There is evidence that COVID-19 can be spread by people who are not showing symptoms.
- <u>Click here</u> for CDC's "How does COVID-19 spread?" video.

HYGIENE

Hygiene Protocols

Keeping you, your coworkers and customers safe!



Handwashing: How Germs Spread

Handwashing is one of the best ways to protect yourself and those around you from getting sick. Washing hands can keep you healthy and prevent the spread of germs. Germs can spread from other people or surfaces when you:

- Touch your eyes, nose, and mouth with unwashed hands
- Prepare or eat food and drinks with unwashed hands
- Touch a contaminated surface or objects
- Blow your nose, cough, or sneeze into hands and then touch other people's hands or common objects

Handwashing: When to Wash Hands

Employees should wash their hands frequently with soap and water for at least 20 seconds or if soap and water are not available, use hand sanitizer that contains at least 60% alcohol.

Key times to clean hands include:

- Before and after work shifts
- Before and after breaks
- After putting on, touching, or removing cloth face coverings
- After coughing, sneezing or using tissues
- Before and after eating
- Before, during, and after preparing food
- After using the bathroom or touching waste or trash



Handwashing During the COVID-19 Pandemic

During the COVID-19 pandemic, you should also clean hands:

- After you have been in a public place and touched an item or surface that may be frequently touched by other people, such as door handles, tables, gas pumps, shopping carts, or electronic cashier registers/screens, etc.
- Before touching your eyes, nose, or mouth because that's how germs enter our bodies.

Proper Handwashing

Watch CDC's What you Need to Know About Handwashing video



Five Steps to Wash Your Hands the Right Way

Follow these five steps every time.

- Wet your hands with clean, running water (warm or cold), turn off the tap, and apply soap.
- Lather your hands by rubbing them together with the soap. Lather the backs of your hands, between your fingers, and under your nails.
- Scrub your hands for at least 20 seconds. Need a timer? Hum the "Happy Birthday" song from beginning to end twice.
- Rinse your hands well under clean, running water.
- Dry your hands using a clean towel or air dry them.

Handwashing Stations

Handwashing stations should include:

- a sign
- hot and cold running water
- soap (does not have to be antibacterial)
- single-use paper towels
- a waste bin (preferably hands free)

If you notice soap or towels are running low, immediately notify a supervisor

Signs can be downloaded from https://www.cdc.gov/handwashing



<section-header><section-header><section-header><section-header><section-header><section-header><section-header><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item>

Hand Sanitizers

Washing hands with soap and water is the **best** way to get rid of germs in most situations. If soap and water are not readily available, you can use an alcohol-based <u>hand sanitizer</u> that contains at least 60% alcohol. You can tell if the sanitizer contains at least 60% alcohol by looking at the product label.

Sanitizers can quickly reduce the number of germs on hands in many situations but do **<u>not</u>**:

- get rid of all types of germs;
- are not be as effective when hands are visibly dirty or greasy; and
- might not remove harmful chemicals from hands like pesticides and heavy metals.

How to Use Hand Sanitizer

- Apply the gel product to the palm of one hand (read the label to learn the correct amount).
- Rub your hands together.
- Rub the gel over all the surfaces of your hands and fingers until your hands are dry. This should take around 20 seconds.



You can use an alcohol-based hand sanitizer that contains at least 60% alcohol if soap and water are not available.

Remember...

Handwashing with soap removes germs from hands. This helps prevent infections because:

- People frequently touch their eyes, nose, and mouth without even realizing it. Germs can get into the body through the eyes, nose and mouth and make us sick.
- Germs from unwashed hands can be transferred to other objects, like handrails, or table tops, and then transferred to another person's hands.



Handwashing Best Practices for Businesses

- Make sure handwashing areas are easily located by visitors.
- Hang an instructional handwashing sign in visible location at all handwashing stations.
- Check bathrooms frequently to ensure operational and stocked at all times.
- Clean high-touch surfaces in handwashing areas often (at least once per day).
- Make hand sanitizer available at the facility entrance, service counters, common areas, and near shared equipment like elevator buttons or copiers.
- Encourage frequent handwashing and use of hand sanitizer.
- Provide frequent breaks for handwashing.

Cover Coughs and Sneezes

- Cover your mouth and nose with a tissue when you cough or sneeze
- Throw used tissues in the trash
- If you don't have a tissue, cough or sneeze into your elbow, not your hands
- Remember to immediately <u>wash your</u> <u>hands</u> after blowing your nose, coughing or sneezing.



SOCIAL DISTANCING

Social Distancing





| • | |
|---|--|
| | |
| | |

All persons, including employees, customers, and vendors should remain at least six feet apart to the greatest extent possible, both inside and outside workplaces Establish protocols to ensure that employees can practice adequate social distancing Provide signage for safe social distancing

Require face coverings or masks for all employees

What is Social Distancing?

Social distancing, also called "physical distancing", means keeping space between yourself and other people outside of your home.

To practice social or physical distancing:

- Stay at least 6 feet (about 2 arms' length) from other people
- Do not gather in groups
- Stay out of crowded places and avoid mass gatherings

PLEASE PRACTICE SOCIAL DISTANCING



Social Distancing



Protocols for Ensuring Social Distancing

All businesses must establish protocols to ensure that employees can practice adequate social distancing. Refer to <u>Sector-Specific Guidance</u> for industry-specific requirements. Talk with your supervisor if you have questions or concerns about maintaining 6' separation in your workplace.

| Work remotely when possible | Limit visitors whenever possible | Separate workstations by 6' |
|--|--|--|
| Reduce occupancy per guidelines | Post social distancing signs in appropriate locations | Post signs to not enter if you have COVID-19 symptoms |
| Close, restrict, or reconfigure common areas like break rooms | Close waiting rooms/public seating areas – call upon arrival | Limit the number of workers in enclosed areas |
| Place tape or other markings 6' apart in customer waiting areas | Separate order areas to prevent customers gathering | Use barriers where 6' separation cannot be maintained |
| Increase online/telephone purchasing and payment | Offer delivery or curbside pickup options | Stagger work shifts and breaks |
| Hold group meetings remotely | Monitor symptoms and stay home when sick | Offer senior only hours |
| Station employee near entrances to limit visitors and ensure face masks are worn | Minimize in person meeting and adjust those that are necessary to ensure 6' separation | Discourage sharing of equipment and remove shared containers from breakrooms |





MAXIMUM OCCUPANCY LOAD 113

Health Order By order of the **Oakland County Health Division** this facility is limited to 50% occupancy load until April 5, 2020.



Refer to Sector-Specific Guidance for occupancy limits.





Physical barriers like sneeze guards are appropriate when 6' separation cannot be maintained.



Close communal spaces, such as break rooms, if possible or stagger use and clean and disinfect in between uses.





Work from home when possible. Replace in-person meetings with video- or teleconference calls whenever possible.

Consider rotating or staggering shifts to limit the number of employees in the workplace at the same time and reconfigure workstations to allow 6' separation.







Close waiting areas. Encourage visitors to text or call when upon arrival. Restrict of limit non-essential visits. Cancel all group events and meetings of more than 10 people.

Recommended Signage

- 1. Post signage at public entrance to inform employees and visitors of the following:
 - Do not enter if you have COVID-19 symptoms;
 - Face coverings required to enter (unless 2 or under; medical exemption);
 - Maintain six-foot distance from others, including when in line;
 - Sneeze and cough into a cloth or tissue, or if not available, into your elbow; and
 - Do not sake hands or engage in any unnecessary physical contact.
- 2. Post signage at appropriate locations throughout workplace reminding employees and visitors to practice social distancing.
- 3. Post a copy of the signed <u>Compliance Attestation Poster</u> in an area within the business premises that is visible to workers and visitors.
- 4. Post handwashing signs in all handwashing areas.

Face Coverings

Not everyone who has COVID-19 is symptomatic. Wearing a face covering reduces the chance of transmitting the virus to another person and vice versa.

Wearing a face covering is one of several measures we can take to prevent the spread of the virus.



Face Coverings are Required in Workplaces

The new <u>Mandatory Workplace Safety Standards</u> require face coverings or masks for all employees.

See <u>Sector-Specific Guidance</u> for industry specific requirements related to face coverings.



Use a face covering or mask at all times

Face Coverings in Massachusetts

- Governor Baker issued a Face Covering <u>Order</u> effective May 6th requiring face masks or cloth face coverings in public places where social distancing is not possible.
- Any person who is in a place open to the public in the Commonwealth, when unable to maintain a distance of approximately six feet from every other person, shall cover their mouth and nose with a mask or cloth face-covering.
- Masks **are required at all times** when:
 - Inside or waiting in line outside of grocery stores, pharmacies, and other retail stores
 - Providing or using public transportation
- Masks should be worn in all waiting areas and customer service areas where it is likely close contact may occur.

How to Safely Cover Your Face Outside of Home



Face Covering Reminders

- Must cover nose AND mouth
- Fit securely and comfortably against the side of the face
- Allow for breathing without restriction
- When putting on and taking off a mask, do not touch the front of it, you should only handle the ties or ear straps, and make sure you wash the cloth mask regularly. Wash your hands or use hand sanitizer after touching the mask.
- Do not use health care worker masks, such as the N95 masks those should be preserved for healthcare workers

Face Covering Reminders

The use of a mask does **not replace** important social distancing or hygiene measures. All individuals must continue to maintain more than 6 feet of distance from other people; wash hands regularly with soap and water for at least 20 seconds; and stay home when sick.

Exceptions include children under the age of 2 and those unable to wear a mask or face covering due to a medical condition.

CLEANING & DISINFECTING

OPEN.

Cleaning and Disinfecting



Establish and maintain cleaning protocols specific to the business



When an active employee is diagnosed with COVID-19, cleaning and disinfecting must be performed



Disinfection of all common surfaces must take place at intervals appropriate to said workplace

Cleaning verses Disinfecting/Sanitizing

Cleaning refers to the removal of dirt and impurities, including germs, from surfaces. Cleaning alone does not kill germs. But by removing the germs, it decreases their number and therefore any risk of spreading infection.

Disinfecting works by using chemicals, for example EPA-registered disinfectants, to kill germs on surfaces. This process does not necessarily clean dirty surfaces or remove germs. But killing germs remaining on a surface after cleaning further reduces any risk of spreading infection.

While **sanitizing** refers to lowering the number of germs to a safe level by either cleaning or **disinfecting**, **disinfecting** itself refers to killing nearly 100 percent of germs on surfaces or objects, according to the CDC.

Cleaning and Disinfecting

- See <u>CDC guidance on Cleaning and Disinfecting your Facility</u>
- See <u>Sector-Specific Guidance</u>
- Businesses should have protocols for cleaning and disinfecting that include what to do if an active employees is diagnosed with COVID-19. These protocols should identify who will do cleaning/disinfecting and consider procedures if absences of cleaning staff.
- Cleaning logs that include date, time, product used, and scope of cleaning are recommended.

Cleaning for COVID-19

- COVID-19 is a respiratory illness that primarily spreads through the air and through personal contact with surfaces and infected people.
- The virus that causes that COVID-19 is enclosed in an envelope that is easily compromised by proper cleaning and sanitizing.
- It is unknown how long the virus can survive on surfaces but it is recommended to clean and sanitize high contact surfaces, a home, school and work.

How long does the virus last?

SARS-CoV-2, which causes COVID-19, needs a living host to reproduce in. A new study looks at how long it can last outside the body

| As aerosol in the air* | Up to 3 hrs | |
|---|--------------|---|
| On copper | Up to 4 hrs | |
| On cardboard | Up to 24 hrs | |
| On plastic | 2 - 3 days | |
| On stainless steel | 2 - 3 days | |
| Study and paper by : New England Journal CDC Universitis of Californ | of Medicine | *Researchers used a nebulizer to simulate coughing or sneezing, and found that the virus became an aerosol |

Cleaning for COVID-19

Remove visible soil and dirt from surfaces using soap and water.



Apply an EPA registered disinfectant to kill pathogens, including COVID-19. Common cleaners include:

CLEAN

SANITIZE

WAIT

- Clorox Disinfecting Wipes
- Lysol Brand Bleach Multi-Purpose Cleaner
- Purell Multi Surface Disinfectant



For effective sanitizing, wait the proper contact time as indicated on the product label.

Cleaning and Disinfecting

- Wear disposable gloves to clean and disinfect. Wash your hands immediately after taking off gloves.
- First, remove visible soil and dirt using soap and water, THEN disinfect.
- Use products approved by the <u>EPA that are effective vs SARS-</u> <u>COV-2</u> and make sure to follow manufacturer's directions.
- If it has been more than 7 days since you last occupied an area, there is no need to disinfect, though cleaning is recommended.
- If an active employee is diagnosed with COVID-19, follow <u>CDC</u> guidance on Cleaning and Disinfecting your Facility.





Regularly sanitize high-touch surfaces

High-touch surfaces may include:

- Workstations
- Equipment (e.g. copier, tools)
- Screens
- Doorknobs
- Restrooms

Identify high-touch surfaces in workplace and determine a frequency for disinfecting these surfaces (minimum once/day).

How long does the virus last?

SARS-CoV-2, which causes COVID-19, needs a living host to reproduce in. A new study looks at how long it can last outside the body

| As aerosol in the air* | Up to 3 hrs | Alle I |
|--|--------------|---|
| On copper | Up to 4 hrs | |
| On cardboard | Up to 24 hrs | . Aller |
| On plastic | 2 - 3 days | |
| On stainless steel | 2 - 3 days | |
| Study and paper by : New England Journal CDC | of Medicine | *Researchers used a nebulizer to simulate coughing or sneezing, and found that the virus became an aerosol |

Regularly sanitize high-touch surfaces



Sanitize Shared Spaces between Use



Sanitize shared spaces (e.g., conference rooms) between use and supply cleaning products (e.g., sanitizer, disinfecting wipes).

Cleaning and Disinfecting: Office Space

- Clean all high touch areas at least once per day, including workstations
- Clean all high touch surfaces at workstations and in common places such as bathrooms at least once per day, this includes elevator buttons
- Keep Cleaning Logs that include date, time and type of cleaning done
- Clean shared spaces such as conference rooms after each use
- If there is a positive case, close down the area for deep cleaning according to the CDC Guidelines

For Cleaning and Disinfecting Guidelines for other sectors, visit: <u>https://www.mass.gov/info-details/reopening-massachusetts#sector-specific-protocols-and-best-practices-</u>

Staffing and Operations

Staffing and Operations



Provide training for employees regarding the social distancing and hygiene protocols



Employees who are displaying COVID-19-like symptoms do not report to work



Establish a plan for employees getting ill from COVID-19 at work, and a return-to-work plan

Individuals at Higher Risk of Illness from COVID-19

CDC defines those at high-risk for severe illness from COVID-19 as:

- People 65 years and older
- People who live in a nursing home or long-term care facility

People of all ages with <u>underlying medical conditions</u>, <u>particularly if not well controlled</u>, including:

- People with chronic lung disease or moderate to severe asthma
- People who have serious heart conditions
- People who are immunocompromised
 - Many conditions can cause a person to be immunocompromised, including cancer treatment, smoking, bone marrow or organ transplantation, immune deficiencies, poorly controlled HIV or AIDS, and prolonged use of corticosteroids and other immune weakening medications
- People with severe obesity (body mass index [BMI] of 40 or higher)
- People with diabetes
- People with chronic kidney disease undergoing dialysis
- People with liver disease

According to the Massachusetts Reopening Plan, high risk populations should work from home if possible or receive priority consideration for workplace accommodations



Symptoms of COVID-19



When to Seek Emergency Medical Attention

Look for emergency warning signs* for COVID-19. If someone is showing any of these signs, seek emergency medical care immediately. Emergency warning signs include*:

- Trouble breathing
- Persistent pain or pressure in the chest
- New confusion
- Inability to wake or stay awake
- Bluish lips or face

*This list is not all inclusive. Please consult your medical provider for any other symptoms that are severe or concerning.

Call 911 if you have a medical emergency: Notify the operator that you have, or think you might have, COVID-19. If possible, put on a cloth face covering before medical help arrives.

Monitor for COVID-19 Symptoms

Employees are encouraged and may be required to monitor for symptoms. This may include temperature checks before scheduled shifts. **Be vigilant, know the symptoms, and protect others by staying home when sick**.

Stay home if you have a frequent cough, fever, difficult breathing, chills, muscle pain, headache, sore throat, recent loss of taste or smell, or if you live with someone who has been diagnosed with COVID-19 and not yet cleared from isolation.

Anyone displaying COVID-19 symptoms is encouraged to get tested. Contact your healthcare provider if you have COVID-19 symptoms.

Employees Displaying COVID-19 Like Symptoms



If you are experiencing COVID-19 symptoms, notify your supervisor **immediately** and **stay home from work.** Contact your healthcare provider to get tested.

- Ŵ
- If you test positive for COVID-19, contact your supervisor as soon as possible.



If you are positive for COVID-19 as a result of a possible workplace exposure, contact the local board of health as well.

Employees Displaying COVID-19 Like Symptoms



Return-to-Work Plan for Employees with COVID-19



COVID-19 positive employees should <u>not</u> return to work until the **criteria to discontinue home isolation are met**, in consultation with healthcare providers and the local public health nurse.



If you are unsure when it is safe to return to work, contact the local board of health for guidance.

Employees Exposed to Positive COVID-19 Person

If a household member is positive for COVID-19 or you believe you were in close contact with someone who tested positive for COVID-19, contact your health care provider or local board of health for guidance.



You may be required to quarantine for 14 days. If you are required to quarantine, notify your supervisor as soon as possible and stay home.

Managing stress

Coping with stress is so important right now, especially considering the added challenges that accompany a return to work



Take breaks from the news & social media



Connect with others



Try to eat healthy, well-balanced meals



Try to do some other activities you enjoy



Exercise regularly



Get plenty of sleep

Questions or Concerns

Do you feel unsafe at your workplace? Are the mandatory health and safety measures not being thoroughly implemented? First, speak to your supervisor or union representative to resolve the issue.



If you would like to report a business or workplace that is non-compliant with the <u>Mandatory Workplace Safety Standards</u>, you may reach out to your Local Board of Health.

After contacting your local board of health, you may contact the Department of Labor Standards (DLS) through their hotline: (508) 616-0461 x 9488 or by sending an email to **safepublicworkplacemailbox@mass.gov**. DLS will call or email you if an investigation is determined to be warranted within 72 hours if an investigation is warranted

Helpful Links

- Mandatory Safety Standards for Workplaces
 <u>https://www.mass.gov/info-details/reopening-mandatory-safety-standards-for-workplaces</u>
- Sector-Specific Protocols and Best Practices for Reopening Massachusetts <u>https://www.mass.gov/info-details/reopening-massachusetts#sector-specific-protocols-and-best-practices-</u>
- Interim Guidance for Businesses and Employers to Plan and Respond to Coronavirus Disease 2019 (COVID-19)
- OSHA Guidance for Preparing Workplaces for COVID-19
- Reopening Guidance for Cleaning and Disinfecting Public Spaces, Workplaces, Businesses, Schools, and Homes
- CDC's General Business Frequently Asked Questions
- Handwashing <u>https://www.cdc.gov/healthywater/hygiene/hand/handwashing.html</u>
- NIEHS Worker Training Program (National Institute of Environmental Health Sciences) <u>https://tools.niehs.nih.gov/wetp/covid19worker/</u>
- Santa Clara COVID-19 Protection Plan <u>https://www.sccgov.org/sites/covid19/Documents/Appendix-A-Social-Distancing-Protocol.pdf</u>

Acknowledgment for Contributors

The following volunteers with the <u>Academic Public Health Volunteers Corps</u> (APHVC) contributed to this presentation:

Emily Baroni - Boston University

Andrew Dey - Boston University

Derek Collins - Boston University

Kavya Elangovan - Massachusetts College of Pharmacy and Health Sciences

Julia Ryan - Tufts University

Stephanie Granger, MS - Lead for Uxbridge Regional APHVC Team

Dr. David Tapscott, Uxbridge Board of Health member

