Town of Uxbridge Board of Health	FOOD ESTABLISHMENT INSPECTION REPORT R-10						
21 South Main Street 01569	Inspection Number	Date	Time In/Out	Inspection Type		Inspe	ector
Dunkin Donuts	DD567	8/31/23	12:13 PM	Routine	- 1		nands
158 N. Main St.	DDOOT	0/01/20	12:42 PM	Rodane	-	J.Lun	lanas
Uxbridge, MA 1569	Permit Number F	Risk		Client Type Ratir	ıg		Score
Permit Holder: Same	20=2023			Restaurant Excell	ent		95
Foodborr	ne Illness Risk Factor	s and Pu	blic Health Interv	entions			
IN = in compliance OUT= out of compliance N/O			• •				
Supervision	IN OUT NA NO CO	1		on from Contamination (Con	ťd)		T NA NO CO
1. PIC present, demonstrates knowledge, and performs duties			separated and protecte			✓	
2. Certified Food Protection Manager	✓		-contact surfaces; clear		1	 ✓ 	
<u>Employee Health</u> 3. Management, food employee and conditional employee	IN OUT NA NO CO	s 17. Prope	er disposition of returne	d, previously served,		✓	
knowledge, responsibilities and reporting	✓			emperature Control for Safet	y	IN OUT	T NA NO CO
4. Proper use of restriction and exclusion	\checkmark		er cooking time & tempe			✓	
5. Procedures for responding to vomiting and diarrheal event	s 🗸	19. Prope	er reheating procedures	for hot holding		✓	
Good Hygienic Practices	IN OUT NA NO CO	s 20. Prope	er cooling time and tem	perature	[✓	
6. Proper eating, tasting, drinking, or tobacco use	\checkmark	21. Prope	er hot holding temperati	ures		✓	
7. No discharge from eyes, nose, and mouth	✓	22. Prope	er cold holding tempera	tures		✓	
Preventing Contamination by Ha		S 23. Prope	er date marking and dis	position		✓	
8. Hands clean & properly washed	✓	24. Time	as a Public Health Con	trol; procedures & records		✓	
9. No bare hand contact with RTE food or a pre-approved	\checkmark			Consumer Advisory		IN OUT	T NA NO CO
10. Adequate handwashing sinks supplied and accessible	\checkmark	25. Cons	umer advisory provided	for raw/undercooked food		✓	
Approved Source	IN OUT NA NO CO	S	Hig	hly Susceptible Populations		IN OUT	T NA NO CO
11. Food obtained from approved source	\checkmark	26. Paste		nibited foods not offered		✓	
12. Food received at proper temperature	\checkmark		Food/Colo	r Additives and Toxic Substa	nces	IN OUT	NA NO CO
13. Food in good condition, safe & unadulterated	\checkmark	27. Food	additives: approved &	properly used	[✓	
14. Required records available: shellstock tags, parasite	\checkmark	28. Toxic	substances properly id	entified, stored & used		✓	
				ance with Approved Procedu			T NA NO CC
Repeat Violations Highlighted in Yel				ecialized process/HACCP		✓	
	Good Ret						
Safe Food and Water	IN OUT NA NO CO		e utensils: properly stor	Proper Use of Utensils		IN OUT	T NA NO CC
30. Pasteurized eggs used where required							
31. Water & ice from approved source				perty stored, dried & handled			
32. Variance obtained for specialized processing methods		, i i i	Ū	icles: properly stored & used			
Food Temperature Control	IN OUT NA NO CO	s 46. Glove	es used properly				
33. Proper cooling methods used; adequate equip. for temp.	✓	47 All co	Uten: ntact surfaces cleanabl	sils, Equipment and Vending		IN OUT	NA NO COS
34. Plant food properly cooked for hot holding		1					
35. Approved thawing methods used			-	alled, maintained & used; test			
36. Thermometers provided & accurate		49. Non-	food contact surfaces c	Physical Facilities			
Food Identification	IN OUT NA NO CO	S 50 Hot &	cold water available; a			N OUT	NA NO COS
37. Food properly labeled; original container		1	bing installed; proper ba		1		
Prevention of Food Contaminat			ige & waste water prop			V	
38. Insects, rodents & animals not present		1					
39. Contamination prevented in prep, storage & display		1		structed, supplied, & cleaned			
40. Personal cleanliness		1		isposed; facilities maintained			
41. Wiping cloths; properly used & stored		55. Physi	cal facilities installed, m	naintained & clean	2	\checkmark	\checkmark
42. Washing fruits & vegetables		56. Adeq	uate ventilation & lightir	ng; designated areas use			
		60. 105 C	CMR 590 violations / loc	al regulations	[✓	

Official Order for Correction: Based on an inspection today, the items marked "OUT" indicated violations of 105 CMR 590.000 and applicable sections of the 2013 FDA Food Code. This report, when signed below by a Board of Health member or its agent constitutes an order of the Board of Health. Failure to correct violations cited in this report may result in suspension or revocation of the food establishment permit and cessation of food establishment operations. If you are subject to a notice of suspension, revocation, or non-renewal pursuant to 105 CMR 590.000 you may request a hearing before the board of health in accordance with 105 CMR 590.015(B).

 $\frac{\text{Priority}}{0} \quad \frac{\text{Pf}}{1} \quad \frac{\text{Core}}{3}$ Repeat Risk Factor Good Retail

D.Edmands

Sandra Webster - Expires Certificate #:

Follow Up Required: Y Follow Up Date:

FOOD SAFETY INSPECTION REPORT

Page Number 2

Dunkin Donuts 158 N. Main St. Uxbridge, MA 1569	Inspection Number DD567	Date 8/31/23	T <u>ime In/Ou</u> t 12:13 PM
UNDITUGE, MA 1509			12:42 PM

Inspector D.Edmands

Repeat Violations Highlighted in Yellow

Inspection Report (Continued)


Protection From Contamination

Food-contact surfaces, cleaned & sanitized

16

4-601.11 (A) Equip, Food-Contact Surfaces - Establishment -

Pf Cutting board at food prep station needs to be sanded or replaced due to staining and deep cuts. Code: Equipment food-contact surfaces and utensils shall be clean to sight and touch.



Physical Facilities

FOOD SAFETY INSPECTION REPORT

Page Number 3

Dunkin Donuts 158 N. Main St. Uxbridge, MA 1569	Inspection Number DD567	Date 8/31/23	T <u>ime In/Ou</u> t 12:13 PM 12:42 PM	Inspector D.Edmands
Inspection Report (Continued)			Repeat Violati	ions Highlighted in Yellow
51 5-205.15 (B) System Maintai		ıment -		

C 3 bay sink leaking at time of inspection. PIC states maintenance will be out tomorrow 9-1-23 *Code: A plumbing system shall be maintained in good repair.*



- 55 6-501.11 Repairing Establishment -
 - **C** Replace handle. *Code: The physical facilities shall be maintained in good repair.*



Page NumberFOOD SAFETY INSPECTION REPORTPage NumberDunkin Donuts
158 N. Main St.
Uxbridge, MA 1569Inspection Number
DD567Date
8/31/23Time In/Out
12:13 PM
12:13 PM
12:42 PMInspector
D.Edmands

Inspection Report (Continued)

Repeat Violations Highlighted in Yellow

55 6-501.12 Cleaning. Frequency/Restrictions - Establishment -

COS C Please clean debris out of mop sink. Code: The physical facilities shall be cleaned as often as necessary to keep them clean. Except for cleaning that is necessary due to a spill or other accident, cleaning shall be done during periods when the least amount of food is exposed such as after closing.



Notes

Notes

88

Notes - Establishment -

N Grease trap cleaning log on site. - General Notes.



FOOD SAFETY INSPECTION REPORT

Page Number 5

Dunkin Donuts 158 N. Main St. Uxbridge, MA 1569		St.	Inspection Number DD567	Date 8/31/23	T <u>ime In/Ou</u> t 12:13 PM 12:42 PM	Inspector D.Edmands
Inspe	ction F	Report (Continued)			Repeat Violation	ons Highlighted in Yellow
88		Notes - Establishment -				
	Ν	Noted minor ice build up in w	alk in freezer Genera	I		



Temperatures

Notes.

Area	Equipment	Product	Notes	Temps
Establishment	Front Fridge	Milk, ambient		33 °F
Establishment	Front Fridge	Light cream, ambient		35.6 °F
Establishment	Line Cooler	Sausage		37 °F
Establishment	Walk-in Cooler	Bacon, ambient		39.2 °F
Establishment	Walk-in Freezer	Muffins, ambient		12 °F

Temperatures in RED identify items in the temperature danger zone. See the report notes for specific details.

Notes