FOOD ESTABLISHMENT INSPECTION REPORT

Client Type Inspector

Quaker Tavern 466 Quaker Highway Uxbridge, MA 1569 Inspection Number 6CDE5 Date 10/12/23

Risk

Permit Number

Time In/Out 11:41 AM 11:31 AM

Variance

Inspection Type Re-Inspection

Rating

Client Type Restaurant

Score Priority

K.Donahue

0xb/1dge, MA 13092	6=2023	Excellent 92 0 1		3		3
Foodborne II	Iness Risk Factors	and Public Health Interventions				
IN = in compliance OUT= out of compliance N/O = no	t observed N/A = not applicable	e COS = corrected on-site during inspection Repeat Violations Highlited in Yello)W			
Supervision	IN OUT NA NO COS	Protection from Contamination (Cont'd)	IN C	1 TUC	NA N	10 COS
1. PIC present, demonstrates knowledge, and performs duties	✓	15. Food separated and protected	✓			
2. Certified Food Protection Manager	✓	16. Food-contact surfaces; cleaned & sanitized	4			
Employee Health	IN OUT NA NO COS	17. Proper disposition of returned, previously served,	./	Ħ,		$\overline{}$
Management, food employee and conditional employee knowledge, responsibilities and reporting	✓	Time/Temperature Control for Safety	IN (OUT	NA N	10 CO:
4. Proper use of restriction and exclusion	✓	18. Proper cooking time & temperatures	✓			
5. Procedures for responding to vomiting and diarrheal events	✓	19. Proper reheating procedures for hot holding	✓			
Good Hygienic Practices	IN OUT NA NO COS	20. Proper cooling time and temperature	✓			
6. Proper eating, tasting, drinking, or tobacco use	1 🗸	21. Proper hot holding temperatures	✓			
7. No discharge from eyes, nose, and mouth	✓	22. Proper cold holding temperatures	✓			
Preventing Contamination by Hands	IN OUT NA NO COS	23. Proper date marking and disposition	./	=;		
8. Hands clean & properly washed	✓	24. Time as a Public Health Control; procedures & records	7	=;		∺
No bare hand contact with RTE food or a pre-approved	✓	Consumer Advisory	IN C	TIIC	NA N	10 COS
10. Adequate handwashing sinks supplied and accessible	✓	25. Consumer advisory provided for raw/undercooked food	✓	7011		
Approved Source	IN OUT NA NO COS	Highly Susceptible Populations		OUT	NA N	NO COS
11. Food obtained from approved source	✓	26. Pasteurized foods used; prohibited foods not offered	V			
12. Food received at proper temperature	7	Food/Color Additives and Toxic Substance		UT N	IA NO	o cos
13. Food in good condition, safe & unadulterated		27. Food additives: approved & properly used	V	T		
14. Required records available: shellstock tags, parasite		28. Toxic substances properly identified, stored & used	√	Πī		
The topular topological analysis of one topological tags, parables	V	Conformance with Approved Procedures		י דעכ	NA N	10 COS
Repeat Violations Highlighted in Yellow		29. Compliance with variance/specialized process/HACCP	√			
	Good Reta	il Practices				
Safe Food and Water	IN OUT NA NO COS	Proper Use of Utensils	IN C	1 TUC	NA N	10 COS
30. Pasteurized eggs used where required	✓	43. In-use utensils: properly stored				
31. Water & ice from approved source		44. Utensils, equip. & linens: property stored, dried & handled				
32. Variance obtained for specialized processing methods		45. Single-use/single-service articles: properly stored & used	Ī	Ŧ		
Food Temperature Control	IN OUT NA NO COS	46. Gloves used properly		Ŧ		П
33. Proper cooling methods used; adequate equip. for temp.	✓	Utensils, Equipment and Vending	IN O	UT N	IA NO	o cos
		47. All contact surfaces cleanable, properly designed,		\neg		
34. Plant food properly cooked for hot holding		48. Warewashing facilities: installed, maintained & used; test	-	=		
35. Approved thawing methods used		49. Non-food contact surfaces clean	_	=		H
36. Thermometers provided & accurate		Physical Facilities	IN O	N TH	ΙΔ Νι	o cos
Food Identification	IN OUT NA NO COS	50. Hot & cold water available; adequate pressure	IIV U	01 10	17	0 003
37. Food properly labeled; original container		51. Plumbing installed; proper backflow devices	i	=		H
Prevention of Food Contamination	IN OUT NA NO COS	52. Sewage & waste water properly disposed	i	=		
38. Insects, rodents & animals not present	1 🗸	53. Toilet facilities: properly constructed, supplied, & cleaned		=		H
39. Contamination prevented in prep, storage & display		54. Garbage & refuse properly disposed; facilities maintained	L	=		H
40. Personal cleanliness			L	4		
41. Wiping cloths; properly used & stored		55. Physical facilities installed, maintained & clean	Ŀ	✓		Ш
42. Washing fruits & vegetables	H H	56. Adequate ventilation & lighting; designated areas use				
J		60. 105 CMR 590 violations / local regulations	✓			

Official Order for Correction: Based on an inspection today, the items marked "OUT" indicated violations of 105 CMR 590.000 and applicable sections of the 2013 FDA Food Code. This report, when signed below by a Board of Health member or its agent constitutes an order of the Board of Health. Failure to correct violations cited in this report may result in suspension or revocation of the food establishment permit and cessation of food establishment operations. If you are subject to a notice of suspension, revocation, or non-renewal

K.Donahue

Sarkis Apar - Expires Certificate #: Follow Up Required: Y

Y F

Follow Up Date:

Page Number 2

Quaker Tavern 466 Quaker Highway Uxbridge, MA 1569

Inspection Number 6CDE5

Date 10/12/23

Time In/Out 11:41 AM 11:31 AM Inspector K.Donahue

Inspection Report (Continued)

Repeat Violations Highlighted in Yellow

97 97 Corrected - Kitchen -

cos

---- The Original Violation Code was 5-205.15 (B) System Maintained/Repair ----- Wash sink leaking at time of inspection. - A plumbing system shall be maintained in good repair.



97 Orrected - Downstairs -

COS

---- The Original Violation Code was 6-501.11 Repairing ----- Walk in cooler shelf very rushed. Need to replace. - The physical facilities shall be maintained in good repair.



Quaker Tavern 466 Quaker Highway Uxbridge, MA 1569

Inspection Number 6CDE5

Date 10/12/23

Time In/Out 11:41 AM 11:31 AM Inspector K.Donahue

Inspection Report (Continued)

Repeat Violations Highlighted in Yellow

97

97 Corrected - Downstairs -

cos

6

---- The Original Violation Code was 4-602.13 Nonfood -Contact Surfaces ----- - Nonfood contact surfaces of equipment shall be cleaned at a frequency necessary to preclude accumulation of soil residues.



Good Hygienic Practices

Proper eating, tasting, drinking or tobacco use

2-401.11 Eating Drinking or Using Tobacco - Downstairs -

C Should not keep personal drink open on food preparation surface. Code: Except as specified in Paragraph (B) of this section, an employee shall eat, drink, or use any form of tobacco only in designated areas where the contamination of exposed food; clean equipment, utensils, and linens; unwrapped single-service and single-use articles; or other items needing protection can not result. (B) A food employee may drink from a closed beverage container if the container is handled to prevent contamination of: (1) The employee's hands; (2) The container; and (3) Exposed food; clean equipment, utensils, and linens; unwrapped single-service and single-use articles.



Page Number 4

Quaker Tavern 466 Quaker Highway Uxbridge, MA 1569

Inspection Number 6CDE5

Date 10/12/23

Time In/Out 11:41 AM 11:31 AM Inspector K.Donahue

Inspection Report (Continued)

Repeat Violations Highlighted in Yellow

Prevention of Food Contamination

Insect, rodents & animals not present

38 6-501.111 (C) Controlling Pests - Establishment -


Pf Flies noted in kitchen. Code: The premises shall be maintained free of insects, rodents, and other pests. The presence of insects, rodents, and other pests shall be controlled to eliminate their presence on the premises by using methods, if pests are found, such as trapping devices or other means of pest control, such as pesticides, must be used according to law and manufacture's instructions.

Physical Facilities

Physical Facilities installed, maintained & cleaned

55 6-501.11 Repairing - Kitchen -

C Need to repair back screen door. Flies are entering through damaged door. Code: The physical facilities shall be maintained in good repair.



Page Number 5

Quaker Tavern 466 Quaker Highway Uxbridge, MA 1569

Inspection Number 6CDE5

Date 10/12/23

Time In/Out 11:41 AM 11:31 AM Inspector K.Donahue

Inspection Report (Continued)

Repeat Violations Highlighted in Yellow

55 6-501.11 Repairing - Establishment -

C Hole under mens room sink. Code: The physical facilities shall be maintained in good repair.



Temperatures

Area Equipment Product Notes Temps

Temperatures in RED identify items in the temperature danger zone. See the report notes for specific details.

Notes

Screen door is on order. Mens room bathroom hole is covered with a temp piece of wood. Please provide BOH with next pest control service invoice. Also please inform BOH when screen door is fixed.

Page Number 6

Quaker Tavern 466 Quaker Highway Uxbridge, MA 1569

Inspection Number 6CDE5

Date 10/12/23

Time In/Out 11:41 AM 11:31 AM Inspector K.Donahue

Inspection Report (Continued)

Repeat Violations Highlighted in Yellow